




LG Tribute lower media Speaker Replacement

This guide will assist in replacing the ear piece speaker located at the top of the phone.

Written By: Marissa Eubank



INTRODUCTION

This guide will demonstrate how to properly replace the ear piece speaker. The ear piece speaker is located at the top of the phone near the front facing camera.



TOOLS:

- [iFixit Opening Tools](#) (1)
- [Phillips #000 Screwdriver](#) (1)
- [iFixit Opening Picks set of 6](#) (1)



PARTS:

- [LG Tribute Ear Piece Speaker](#) (1)

Step 1 — Battery




- Use the plastic opening tool to pry off the back cover.

Step 2




- Lift the battery out of place.
- ☒ When replacing the battery, the (+) and (-) symbols must match up with the phone's charging nodes.

Step 3 — Mid-panel





- Remove eight 4mm screws using a Phillips head 000 screwdriver (PH000).

Step 4



- Use a plastic opening tool to loosen the tabs around the edge of the phone.
- i* Inserting a thin piece of plastic will help prevent opened tabs from locking back into place.
- !** This step can be frustrating, but requires patience. Avoid the temptation to pry the panel loose. Using excessive force may break the delicate tabs.

Step 5 — Main media Speaker



- Use a plastic opening tool or your finger to carefully disconnect the speaker.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-08-02 11:28:37 PM.